

## SINGLE RESIDENTIAL DOOR LOCKS - VARIOUS

### Inside:

#### **REHAU Total70 & Calibre**

- Yale Mantis 4 Multi-point Door Lock
- Yale Mantis 3 Multi-point Door Lock
- Fuhr 2 Hooks, 2 Cams Door Lock
- Fuhr 2 Roundbolts, 2 Cams Door Lock
- Fuhr 4 Hooks Door Lock
- Fuhr 2 Hooks, 2 Cams Internal Restrictor
- MACO A-TS Self-Locking Door Lock (Standard Height)
- MACO A-TS Varia Self-Locking Door Lock (Heritage Height)
- Ultion Bolt Self-Locking Door Lock

#### **REHAU Rio**

- MACO Protect C-TS Door Lock


**For further assistance, call 01702 613733**

**[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)**

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## YALE MANTIS 4 MULTI-POINT DOOR LOCK

- High security single door system for our REHAU Total70 and Calibre doors
- Unique hook & linear bolt unit
- 25mm deep throw anti lift security hooks
- 22mm security compression bolts
- Key operated centre deadbolt
- Pre-compression Roller cams
- 35mm backset
- Strengthened centre case offers enhanced security
- Reversible Latch
- Industry standard PZ92mm centre case
- Stainless steel 16mm face plates
- British Built
- Corrosion tested to BS EN 1670:2007 Grade 4 (240hrs)
- Endurance tested to 50,000 cycles



For further assistance, call **01702 613733**


[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## YALE MANTIS 3 MULTI-POINT DOOR LOCK\*

\*This door lock was replaced by the Mantis 4 door lock (as shown on the previous page) from 29th September 2025

- High security single door system
- 25mm deep throw anti lift security hooks
- 22mm security compression bolts
- Key operated centre deadbolt
- Roller cams
- 35mm backset
- Sprung centre cases
- Industry standard PZ92mm centre case
- Stainless steel 16mm face plates
- British Built
- Corrosion tested to BS EN 1670:2007 Grade 4 (240hrs. NSST)
- Endurance tested to 50,000 cycles
- 10 year Mechanical Guarantee



For further assistance, call 01702 613733

[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## FUHR 2 HOOKS, 2 CAMS DOOR LOCK


- Day latch retention facility to avoid inadvertent lock out
- Reversible latch
- Latch sealing pressure adjustable via profile related plates
- Adjustable brass roller cams +/- 1mm provide consistently smooth and reliable engagement into plates
- Roller cam travel 19mm
- Steel hook bolt throw 20mm with lockout for strength and security
- Hook bolt sealing pressure adjustable via profile related plates
- Deadbolt throw - 20mm (Backset 35mm)
- Profile related plates

### KEEPS



#### SPLIT SPINDLE IDENTIFICATION

Yellow Bichromate - Inside  
Blue Galvanised - Outside



For further assistance, call 01702 613733


[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## FUHR 2 ROUND BOLTS, 2 CAMS DOOR LOCK

- Reversible latch
- Latch sealing pressure adjustable via profile related plates
- Adjustable brass roller cams +/- 1mm provide consistently smooth and reliable engagement into plates
- Roller cam travel 19mm
- Steel round deadbolt throw 20mm with lockout for strength and security
- Deadbolt throw - 20mm (Backset 35mm, 40mm)
- Multipoint function provides enhanced noise reduction and heat insulation
- Profile related plates
- 20mm flat faceplate, 24mm x 6mm U-rail faceplate
- Not available as split spindle

### KEEPS



For further assistance, call 01702 613733

[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## FUHR 4 HOOKS DOOR LOCK


- Day latch retention facility to avoid inadvertent lock out
- Reversible latch
- Latch sealing pressure adjustable via profile related plates
- Steel hook bolt throw 20mm with lockout for strength and security
- Hook bolt sealing pressure adjustable via profile related plates
- Deadbolt throw - 20mm (Backset 35mm)
- Profile related plates

### KEEPS



#### SPLIT SPINDLE IDENTIFICATION

Yellow Bichromate - Inside  
Blue Galvanised - Outside



For further assistance, call 01702 613733


[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## FUHR 2 HOOKS, 2 CAMS INTERNAL RESTRICTOR

- Added security for front doors.
- Integral restrictor enables partial opening without compromising security
- Lever operated and split spindle locks can be offered with a built in opening restrictor
- The restrictor engages simply with a turn of the knob, allowing the door to be partially opened
- The door has to be closed and the restrictor disengaged and re-opened before a visitor can gain access
- Thumb turn handles available in white, chrome or gold

### KEEPS



**For further assistance, call 01702 613733**



**[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)**

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## MACO - A-TS SELF-LOCKING DOOR LOCK (STANDARD HEIGHT)

When the door closes the A-TS multi-point locking system automatically engages into the frame maximising the weather performance, sound and thermal insulation and offering excellent security.

- Can also be used with the MACO openDoor and commercially available access control systems
- MACO silent latch function ensures easy closing of the door leaf
- Non handed door lock can be used on both left or right handed doors
- Can be used as a Lever/Lever or Escutcheon
- Even gasket compression over the entire door height
- Sound and thermal protection due to the automatic function
- Durable due to permanent gasket compression over the entire door leaf (3 latches counteract any distortion of the door leaf)
- Successfully tested to PAS24



For further assistance, call 01702 613733



[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## MACO - A-TS VARIA SELF-LOCKING DOOR LOCK (HERITAGE HEIGHT)

When the door closes the A-TS multi-point locking system automatically engages into the frame maximising the weather performance, sound and thermal insulation and offering excellent security.

- Can also be used with the MACO openDoor and commercially available access control systems
- MACO silent latch function ensures easy closing of the door leaf.
- Non handed door lock can be used on both left or right handed doors
- Convenient height key cylinder for a Heritage door style lock
- Even gasket compression over the entire door height
- Sound and thermal protection due to the automatic function
- Durable due to permanent gasket compression over the entire door leaf (3 latches counteract any distortion of the door leaf)
- Successfully tested to PAS24



**For further assistance, call 01702 613733**


**[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)**

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## ULTION BOLT SELF-LOCKING DOOR LOCK

- A multipoint lock from Ultion that eliminates the need for lever/lever operation
- Three latch bolts deploy automatically when the door has closed
- The non-handed keep guides the three super-secure 20mm bolts into the optimum position every time for perfect seal compression
- The three independently firing deadbolts stop the problem of a bowed door
- Key will still turn and secure every engaged bolts even if the door isn't 100% closed
- Offering enhanced security performance found with all Ultion products

### ULTION | BOLT




**For further assistance, call 01702 613733**

[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## MACO PROTECT C-TS SINGLE DOOR LOCK

- For use on REHAU Rio Flush Single Doors
- High security door locking system
- Lever/Lever operation
- Individual keeps for centre latch and hooks
- 2 hook and 3 deadbolts



**For further assistance, call 01702 613733**

**[www.climatec-windows.co.uk](http://www.climatec-windows.co.uk)**

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN